



# **RUST-X USA**

## **Technical Datasheet**

**Product: VCI Masking Stickers**

**TDS No. 400030**

**Publication Date: 1<sup>st</sup> April 2016**

**[www.rustx.net](http://www.rustx.net)  
[info@rustx.net](mailto:info@rustx.net)**

### Product Description

VCI Masking stickers are used to protect surfaces which are highly prone to corrosion & need protection without the application of physical coatings, paints or oils but require long term corrosion protection in covered or open conditions. Simply remove by peeling off the sticker which results in clean, coating-free, adhesive-free surface.

The masking sticker has been found to surpass 2000 hours of salt spray life and does not allow any corrosion to propagate under the sticker and protects multi-metal parts of any geometry.

These can also be die cut in required shapes to be pasted on flanges or curved surfaces and can be used for forgings, castings, machined areas of automotive components, construction equipment, valves for petroleum pipelines, flanges of chemical and process equipment, sealing of electronic panels and displays when not in use and many more applications.

### Product & Application Images



### Suitable For

Machinery Parts, Electrical Panels, Brake Discs, Electronic Panels, Sealing of Electronic Cards and Terminal Boxes, Telecommunication equipment, Remote Electronic Devices etc.

Features

- Economical to use
- Easy to install
- Easy to remove
- Protects up to 5 years
- Effective in adverse environmental conditions
- Excellent protection for offshore equipment
- Multi-metal Protection
- Free of Nitrites, Halogens & Phosphates

Application

- Automotive Equipment
- Aerospace equipment
- Machinery Parts
- Electrical Panels
- Brake Discs
- Electronic Panels
- Sealing of Electronic Cards and Terminal Boxes
- Telecommunication equipment
- Remote Electronic Devices
- Guns and Ammunition
- Petroleum Refineries, Chemical Plants & Process Equipment
- Valves and Fittings

Properties

Physical Properties	Value
Size (Inches)	24 Inches or 48 inches sheet
Colour	White
Protection Period	2 Years
Self Adhesive Backing	Yes
Applicable on	Plastic, Glass, Metal, Electronics

### Packaging

26 Liters Can & 210 Liters Barrel

### Disposal

Wastes should be disposed off in accordance with local regulations.

**Recommendation:** Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

Packaging that may not be cleansed must be disposed off in the same manner as the product.

### Safety Information

RUST-X Rust Preventive Oils do not contain Lead (Pb), Mercury (Hg), Cadmium (Cd), Hexavalent Chromium (Cr6), Polybrominated biphenyls (PBB), or Polybrominated di-phenylether complying with the re-restricted substances listed in Article 4(1) of the RoHS Directive. RUST-X Rust Preventive Oils are also REACH Compliant for exports to the European Union.

### Declaration

This Data sheet and information it contains is considered to be accurate at the date of printing. No representation or warranty, expressed or implied is made as to the accuracy or completeness of the data and information contained in this publication. It is the User's obligation to evaluate and use products safely and within the scope advised in the data sheet and to comply with all applicable laws and regulations

Revision No. 8    Revision Date: 1<sup>st</sup> April 2016